


amtico  
form



## Natural Character

Wood and stone designs  
Authentic tones and colours  
0.7 mm wear layer

# Form



MADE IN  
BRITAIN

Natural Character	04
Planks & Tiles	08
Wood	10
Stone	26
Laying Patterns	32
Stripping	40
Projects	42
Performance	48
Product Availability	49
Accreditations	50

# Contents

# Natural Character

0.7mm

WEAR  
LAYER

A thicker wear layer means higher durability, for a floor that stands the test of time.



ANTIMICROBIAL  
PROTECTION

Antico Form products are specified as standard with integral antimicrobial protection.

19dB

ACOUSTIC  
BACKING

Acoustic backing can be specified on standard planks and tiles and Large & Small Parquet without stripping.



AMTICO  
BIO

Available to specify with 46% bio-attributed content.

With careful attention to every grain, knot and natural tone, Form's commitment to respectfully replicating real woods and stones creates an organic authenticity in any commercial space.



COMMERCIAL  
WARRANTY

# Form



# Planks & Tiles

184.2 x 1219.2 mm

Falun Oak  
FS7W6060



152.4 x 914.4 mm

Foreshore Oak  
FS7W6120



304.8 x 609.6 mm

Ammonite  
FS7S4800



Enhance the flow  
across a space with  
our three easy-to-use  
plank and tile sizes.



# Wood

**Never blend into the woodwork.**  
Naturalistic appearance. Authentic grain. Contemporary colours, in varied plank sizes. Form brings the warmth and character of real wood, to any interior.



Otta Oak – Stripwood

Available plank sizes:  
 152.4 x 914.4 mm  
 184.2 x 1219.2 mm

# Warm Oaks

ALSO AVAILABLE WITH

19dB

ACOUSTIC  
BACKING




AMTICO  
BIO

**Boardwalk Oak**  
FS7W8600



Surface Texture  
Artisan Wood Emboss

**Otta Oak**  
FS7W6140



Surface Texture  
Artisan Wood Emboss

**Rural Oak**  
FS7W5950




Surface Texture  
Artisan Wood Emboss

**Carved Oak**  
FS7W5960



Surface Texture  
Artisan Wood Emboss

**Bureau Oak**  
FS7W5970



Surface Texture  
Artisan Wood Emboss



COMMERCIAL WARRANTY

0.7mm

WEAR LAYER



ANTIMICROBIAL PROTECTION

Fawn Oak

FS7W8480



Surface Texture Artisan Wood Emboss

Amber Oak

FS7W8550



Surface Texture Artisan Wood Emboss

Alta Oak

FS7W6050



Surface Texture Artisan Wood Emboss

Esker Oak

FS7W6150



Surface Texture Artisan Wood Emboss

Furrowed Oak

FS7W6070



Surface Texture Artisan Wood Emboss

Order your free samples


Explore designs, hues and textures with our tactile sample swatches.



Achieve this floor ▼



Plank Furrowed Oak



Laying pattern Stripwood

Explore patterns and colours for your project with our Room Visualiser.

amtico.com





Available plank sizes:  
 152.4 x 914.4 mm  
 184.2 x 1219.2 mm

# Neutral Oaks

ALSO AVAILABLE WITH

19dB

ACOUSTIC  
BACKING



AMTICO  
BIO

## Laholm Oak

FS7W6230



Surface Texture  
Natural Wood Emboss

## Brae Oak

FS7W6160



Surface Texture  
Artisan Wood Emboss

## Flora Oak

FS7W6100



Surface Texture  
Natural Wood Emboss

## Matlo Oak

FS7W6130



Surface Texture  
Artisan Wood Emboss

## Skara Oak

FS7W6090



Surface Texture  
Natural Wood Emboss



COMMERCIAL WARRANTY

0.7mm

WEAR LAYER



ANTIMICROBIAL PROTECTION

Cowrie Oak

FS7W8590



Surface Texture Artisan Wood Emboss

Foreshore Oak

FS7W6120



Surface Texture Artisan Wood Emboss

Shoal Oak

FS7W6170



Surface Texture Natural Wood Emboss

Larvik Oak

FS7W6080



Surface Texture Artisan Wood Emboss

Falun Oak

FS7W6060



Surface Texture Artisan Wood Emboss


Explore patterns and colours for your project with our Room Visualiser at [amtico.com](https://www.amtico.com)



Achieve this floor ▾



Plank Larvik Oak



Laying pattern Stripwood

Available plank sizes:  
152.4 x 914.4 mm  
184.2 x 1219.2 mm

# Cool Oaks

ALSO AVAILABLE WITH

19<sub>dB</sub>

ACOUSTIC  
BACKING



AMTICO  
BIO

## Seaboard Oak

FS7W8570



Surface Texture  
Artisan Wood Emboss

## Shell Oak

FS7W8580



Surface Texture  
Artisan Wood Emboss

## Keel Oak

FS7W6110



Surface Texture  
Artisan Wood Emboss

## Bergen Oak

FS7W8510



Surface Texture  
Artisan Wood Emboss

## Native Grey Wood

FS7W9060



Surface Texture  
Artisan Wood Emboss



Order your free samples


Explore designs, hues and textures with our tactile sample swatches.



Achieve this floor ▾



Plank  
Strand Oak



Laying pattern  
Small Parquet

Explore patterns and colours for your project with our Room Visualiser.

amtico.com



COMMERCIAL WARRANTY

0.7mm

WEAR LAYER



ANTIMICROBIAL PROTECTION

Dusted Oak  
FS7W8520



Surface Texture  
Artisan Wood Emboss

Strand Oak  
FS7W8620



Surface Texture  
Artisan Wood Emboss

Gotland Oak  
FS7W8470



Surface Texture  
Artisan Wood Emboss

Valley Oak  
FS7W9040



Surface Texture  
Artisan Wood Emboss

Burnished Timber  
FS7W9080



Surface Texture  
Artisan Wood Emboss

Available plank sizes:  
152.4 x 914.4 mm  
184.2 x 1219.2 mm

# Saltus Oaks

ALSO AVAILABLE WITH

19<sub>dB</sub>

ACOUSTIC  
BACKING



AMTICO  
BIO



COMMERCIAL  
WARRANTY

0.7<sub>mm</sub>

WEAR  
LAYER



ANTIMICROBIAL  
PROTECTION

Achieve this floor ▾

## Brambly Oak

FS7W6180

## Hanningfield Oak

FS7W6190

## Langdon Oak

FS7W6210

## Thorndon Oak

FS7W6220



Surface Texture  
Natural Wood Emboss



Surface Texture  
Natural Wood Emboss




Surface Texture  
Natural Wood Emboss



Surface Texture  
Natural Wood Emboss



Plank  
Brambly Oak



Laying pattern  
Small Parquet

Explore patterns and  
colours for your project  
with our Room Visualiser.

[amtico.com](http://amtico.com)



# Stone

**A cool and contemporary feel, set in stone.**

Replicating the delicate, smooth intricacies found in stone, Form's palette of six provides a surface texture close to fine ceramic – destined to make a lasting impression.

Available tile size:  
304.8 x 609.6 mm

# Stones

ALSO AVAILABLE WITH

# 19<sub>dB</sub>

ACOUSTIC  
BACKING



AMTICO  
BIO

### Ammonite

FS7S4800



Surface Texture  
Ceramic Emboss

### Opal

FS7S4380



Surface Texture  
Ceramic Emboss

### Crema

FS7S4370



Surface Texture  
Ceramic Emboss

### Tidal

FS7S4340



Surface Texture  
Ceramic Emboss

### Mineral

FS7S4350



Surface Texture  
Ceramic Emboss

### Char

FS7S4810



Surface Texture  
Ceramic Emboss



Char – Pavestone & Stucco Putty stripping



COMMERCIAL WARRANTY

0.7mm

WEAR LAYER




ANTIMICROBIAL PROTECTION

Achieve this floor ▾



Tile  
Tidal



Laying pattern  
Broken Bond



Order your free samples


Explore designs, hues and textures with our tactile sample swatches.



Achieve this floor ▾



Tile  
Crema



Laying pattern  
Broken Bond



Explore patterns and colours for your project with our Room Visualiser.  
amtico.com






# Laying Patterns

Quickly design and specify elegant Form floors using our pre-designed laying patterns, available alongside our standard planks and tiles.


# Simple patterns

Pick any of our standard planks and tiles in one colour and size to create impact quickly with simple, timeless pattern options.




**Herringbone Plank**

Plank sizes:  
152.4 x 914.4 mm  
184.2 x 1219.2 mm




**Wicket**

Plank sizes:  
152.4 x 914.4 mm  
184.2 x 1219.2 mm




**Deck Block**  
Stripping required

Plank sizes:  
152.4 x 914.4 mm  
184.2 x 1219.2 mm




**Stripwood**

Plank sizes:  
152.4 x 914.4 mm  
184.2 x 1219.2 mm




**Herringbone Tile**  
Stripping optional

Tile size:  
304.8 x 609.6 mm



**Broken Bond**  
Stripping optional

Tile size:  
304.8 x 609.6 mm



**Uniform Block**  
Stripping optional


Tile size:  
304.8 x 609.6 mm






# Patterns for Wood

Every single one of our authentic woods is available in the following laying patterns:




**Chevron**

Plank size:  
87.98 x 457.2 mm



**Basket Weave**

Plank sizes:  
76.2 x 304.8 mm  
114.3 x 114.3 mm (key)



**Broad Weave**

Plank sizes:  
152.4 x 304.8 mm  
152.4 x 152.4 mm (key)



**Small Parquet**

Plank size:  
76.2 x 228.6 mm



**Large Parquet**


Plank size:  
114.3 x 457.2 mm

# Patterns for Stone

Every single one of our natural-looking stones is available in the following laying patterns:




Crema – Large Parquet




## Small Parquet

Tile size:  
76.2 x 228.6 mm



## Large Parquet

Tile size:  
114.3 x 457.2 mm



## Pavestone

Tile sizes:  
152.4 x 304.8 mm  
304.8 x 304.8 mm  
304.8 x 457.2 mm  
3.2 x 914.4 mm (stripping)




Ammonite – Large Parquet & field tile with Woolwich Concrete stripping

# Stripping

Add contrast and definition or create a grout effect. Choose stripping that complements the tone and materiality of planks and tiles, then combine them in one of our timeless patterns.



Concrete Pale AROSCN30  
3.2 mm stripping represented in this example.



Mineral FS7S4350



Example laid in Herringbone Tile with stripping

Feature stripping is available in the following sizes:\*

\*Sizes shown are not actual size



3.2 mm x 914.4 mm



12.7 mm x 914.4 mm



6.4 mm x 914.4 mm



19.1 mm x 914.4 mm



9.5 mm x 914.4 mm



Dark Walnut AROW7700



Ashdown Oak AROW8680



Woolwich Concrete AROSRE31



Wild Walnut AROW7620



Cirrus Air AROW8100



Mirabelle Creme AROSMB14



Stucco Putty AROAUC30



Stria Basalt AROSMS43



Stria Volcanic AROSMS42



Concrete Pale AROSCN30



Deptford Concrete AROSRE29



Modernist Frame AROAMN30



Polished Silver\*\* AROAPL32



Polished Copper\*\* AROAPL45



Pure Plain Black AROAPN22



Polished Gold\*\* AROAPL78



Acoustic backing is not available on stripping

\*\*Straight Grain only




Mineral – Herringbone Tile with Mirabelle Creme stripping

## Specification

Project  
Grosvenor GardensSector  
HealthcareLocation  
London, UK

The neutral Scandinavian simplicity of Gotland Oak complements the minimalist stripwood pattern.

Laying pattern  
StripwoodPlank  
Gotland Oak  
FS7W8470




Project  
OCO Westend

Sector  
Office

Location  
Paisley, UK

Specification

The natural light-reflective qualities of Shell Oak gives OCO Westend an open, airy feel.



Laying pattern  
Stripwood

Plank  
Shell Oak  
FS7W8580


## Specification

Project  
Showroom Elektro Bestian

Sector  
Retail


Location  
Hildesheim, Germany

The classic herringbone installation results in an inviting visual widening of the room.



Laying pattern  
Herringbone Plank

Plank  
Boardwalk Oak  
FS7W8600







## Flooring fit for the future



### Specify Amtico Bio

Now available across the Form collection, Amtico Bio is our first bio-attributed LVT flooring. Made with renewable biomass derived PVC, which saves more than 90% of the CO<sub>2</sub> emissions compared to traditional fossil fuel based PVC. Amtico Bio offers the same performance and finish with a reduced carbon footprint.

We use carefully selected and audited sources of biomass to create the renewable ethylene that goes into our bio-attributed PVC. This includes by-products such as Crude Tall Oil (CTO) from trees and Used Cooking Oil (UCO).

Form is available to specify with 46% bio-attributed content.

# Performance



## What silence looks like

19<sub>dB</sub>

### Specify Amtico Acoustic

Amtico Acoustic enhances the acoustic properties of LVT by reducing impact sound transmission by up to 19dB and also provides an extra level of comfort underfoot.

Amtico Acoustic brings another layer of performance and versatility to the design, quality and durability you expect from Amtico.



## Added protection against bacteria and viruses



### Antimicrobial Protection

We add an ionic silver additive to the urethane coating that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive. Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

Independently verified against E.Coli and MRSA, to ISO 22196, showing a reduction of >99.9% after 24hrs. Also tested against SARS-CoV-2, to ISO 21702, showing an 85.5% reduction after 24 hours compared to an untreated control, and a reduction of >99.9% against the initial inoculation.

All our antimicrobial flooring achieves the same levels of high performance against sunlight, scuffs and stains, and heavy traffic that you expect from any Amtico floor.

# Product Availability

Product Name	Product Code	Surface Texture	Straight Grain		
			152.4 x 914.4 mm / 6 x 36"	184.2 x 1219.2 mm / 7.25 x 48"	304.8 x 609.6 mm / 12 x 24"
<b>Woods</b>					
Alta Oak	FS7W6050	Artisan Wood Emboss	•	•	
Amber Oak	FS7W8550	Artisan Wood Emboss	•	•	
Bergen Oak	FS7W8510	Artisan Wood Emboss	•	•	
Boardwalk Oak	FS7W8600	Artisan Wood Emboss	•	•	
Brae Oak	FS7W6160	Artisan Wood Emboss	•	•	
Brambly Oak	FS7W6180	Natural Wood Emboss	•	•	
Bureau Oak	FS7W5970	Artisan Wood Emboss	•	•	
Burnished Timber	FS7W9080	Artisan Wood Emboss	•	•	
Carved Oak	FS7W5960	Artisan Wood Emboss	•	•	
Cowrie Oak	FS7W8590	Artisan Wood Emboss	•	•	
Dusted Oak	FS7W8520	Artisan Wood Emboss	•	•	
Esker Oak	FS7W6150	Artisan Wood Emboss	•	•	
Falun Oak	FS7W6060	Artisan Wood Emboss	•	•	
Fawn Oak	FS7W8480	Artisan Wood Emboss	•	•	
Flora Oak	FS7W6100	Natural Wood Emboss	•	•	
Foreshore Oak	FS7W6120	Artisan Wood Emboss	•	•	
Furrowed Oak	FS7W6070	Artisan Wood Emboss	•	•	
Gotland Oak	FS7W8470	Artisan Wood Emboss	•	•	
Hanningfield Oak	FS7W6190	Natural Wood Emboss	•	•	
Keel Oak	FS7W6110	Artisan Wood Emboss	•	•	
Laholm Oak	FS7W6230	Natural Wood Emboss	•	•	
Langdon Oak	FS7W6210	Natural Wood Emboss	•	•	
Larvik Oak	FS7W6080	Artisan Wood Emboss	•	•	
Matlo Oak	FS7W6130	Artisan Wood Emboss	•	•	
Native Grey Wood	FS7W9060	Artisan Wood Emboss	•	•	
Otta Oak	FS7W6140	Artisan Wood Emboss	•	•	
Rural Oak	FS7W5950	Artisan Wood Emboss	•	•	
Seaboard Oak	FS7W8570	Artisan Wood Emboss	•	•	
Shell Oak	FS7W8580	Artisan Wood Emboss	•	•	
Shoal Oak	FS7W6170	Natural Wood Emboss	•	•	
Skara Oak	FS7W6090	Natural Wood Emboss	•	•	
Strand Oak	FS7W8620	Artisan Wood Emboss	•	•	
Thorndon Oak	FS7W6220	Natural Wood Emboss	•	•	
Valley Oak	FS7W9040	Artisan Wood Emboss	•	•	
<b>Stones</b>					
Ammonite	FS7S4800	Ceramic Emboss			•
Char	FS7S4810	Ceramic Emboss			•
Crema	FS7S4370	Ceramic Emboss			•
Mineral	FS7S4350	Ceramic Emboss			•
Opal	FS7S4380	Ceramic Emboss			•
Tidal	FS7S4340	Ceramic Emboss			•

All products are Quantum Guard Elite coated and bevelled as standard. Please note all sizes and availability are correct at the time of press.

# Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.



Amtico Form has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.



Amtico Form products have been UPEC classified, therefore conforming to local French certification.

Revetements de sol résilients 326-003.1  
<https://evaluation.cstb.fr/en/search>



Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.



The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).



Our quality system complies with BS EN ISO 9001 and is certified by LRQA.



The UKCA mark is a confirmation by Amtico that our products meet the UK Regulations as defined in the relevant Statutory Instruments (SIs).



Amtico Form products are third-party certified for low-VOC emissions contributing towards good indoor air quality.



Amtico International GmbH is a member of the DGNB German Sustainable Building Council.



Amtico Form products are manufactured using ortho-phthalate free plasticisers.



Amtico products comply with BSI ISO 14001 environmental standards.



Amtico Form complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.



Amtico International are proud to be affiliated with the Valobat Eco Organisation, whose objective is to collect and organise the end of life cycle of Amtico products in France.

Visit [amtico.com](http://amtico.com) for more information on our product range, inspiring ideas, maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure, however printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All metric sizes are rounded. All products are manufactured in line with EN ISO 10582. Brochure correct at the time of printing.

**Amtico UK & European Sales**

Solar Park Southside  
Solihull, West Midlands  
B90 4SH, UK  
+44 (0) 121 745 0800  
samples@amtico.com

**Iberia Sales**

(Spanish & English language)  
+44 (0) 121 745 0895  
sales.southeurope@amtico.com  
Samples: info@amtico.de

**Amtico Head Office**

Kingfield Road  
Coventry  
CV6 5AA, UK  
+44 (0) 24 7686 1400  
samples@amtico.com

**Amtico International Germany**

Grand Bateau  
Hammer Straße 17  
40219 Düsseldorf  
Germany  
+49 (0) 2131 359 16 0  
info@amtico.de

**Amtico International France**

36 Avenue Hoche  
75008 Paris  
France  
+33 (0) 1 55 38 95 70  
info@amtico.fr

**Amtico International Scandinavia**

S:t Olofsgatan 11A  
753 21 Uppsala  
Sweden  
46 (0) 8 584 233 24  
info@amtico.se

**Amtico International Asia**

Room 905  
9/F., OfficePlus @ Wan Chai  
303 Hennessy Road, Hong Kong  
+852 2327 7703  
samples@amtico.com

**Amtico International  
Middle East, Africa & India**

8th Floor  
Building Number 2  
J&G DMCC, Dubai, UAE  
+971 (0) 50 192 33 46  
samples@amtico.com

**Amtico International Pty Ltd**

Australia & New Zealand  
Unit 1, 40 Mill Street  
Yarrabilba 4207  
Australia  
australia.customerservice@amtico.com